

Tenax

WITH US

Professional

TOP SELECTION

YOUR
PARTNER IN
EXCELLENCE

Index

00	TENAX INNOVATE WITH US 2 INDUSTRIAL 3 PROFESSIONAL 3	05	FINISHING WAXES 32 VARNISHES 33
01	RESINING & LAMINATION EPOXY SYSTEMS 5	06	CLEANING & MAINTENANCE CLEANING 34 PROBLEM SOLVERS 36
02	BONDING MASTICS AND GLUES 6 • POLYESTER 6 • VINYLESTER 10 • EPOXY 12 • GLAXS 17 CARTRIDGES 18 • GLUE IN CARTRIDGE 18	07	LUSTRO ITALIANO 41
03	INKS / DYES • TEPOX Q 22 • UNIVERSAL COLOR PASTE 23	08	POLISHING BRUSHES 44 EDGE POLISHERS 46
04	PROTECTION ENHANCERS 24 SEALERS 27 SEALER APPLICATION CHART 30	09	CUTTING BLADES 47
		10	MISC/ACCESSORIES 50

Innovate with us

We always work alongside our customers with technological and innovative solutions for the processing of natural stone, quartz, and ceramics

For over 65 years, Tenax has been providing research, technology and innovation for the NATURAL STONE, CERAMIC and QUARTZ surfaces sector. Through the INDUSTRIAL and PROFESSIONAL divisions, it offers effective solutions for the entire supply chain: from industrial production to transformation, the construction area and maintenance. Founded in 1956, Tenax is an Italian company that, thanks to a constantly growing process, is currently a brand found in over 100 countries and recognized worldwide for excellence in the production of mastics, epoxy systems, surface treatments and abrasives. With 6 branches on 4 continents and a comprehensive team of specialists, it supports professionals and companies in achieving their goals.



Industrial

State-of-the-art technological solutions for the Natural Stone, Ceramic and Quartz industries.

With over sixty years of experience, Tenax is a leader in industrial processing thanks to a complete range of cutting-edge solutions able to accompany the customer at all stages of processing. TENAX is structured to provide an effective response to the specific needs of the Natural Stone, Ceramic and Quartz Industries with dedicated product lines to respond quickly to market developments and customization requests. Mastics, resins, abrasives, surface treatments and tools specifically designed to guarantee the best performance, increasingly refined processing and enhance the qualities of the different materials.



Professional

Innovative solutions designed specifically for the processing of Natural Stone, Ceramic and Quartz surfaces.

Professional is the Tenax division completely dedicated to the processing of surfaces by fabricators, marble workers, maintenance workers, and craftsmen, with products specifically designed for needs other than industrial processing. With this division, Tenax has made available its enormous wealth of experience at the service of every single professional, offering a complete line of solutions that can guarantee the desired results on all surfaces.



Tenax

WITH US

PROFESSIONAL RANGE



New
face,
same
essence.



Epoxyart Kit 2 to 1

PART# EPOXARTKIT2TO1

EPOXY SYSTEM KIT 2:1 FOR RESIN COATING,
SCREENING AND REPAIRING



Rapid epoxy system for resinating and screening stone materials. The use of this epoxy system is particularly suitable where high penetration is required, in case of micro-cracks or when the tone of the material is to be increased.

- ◆ **Appearance:** clear hazy-liquid
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 55-75min
- ◆ **Working time:** 24h



- ◆ LOW VISCOSITY
- ◆ MEDIUM HARDNESS
- ◆ EXCELLENT ADHESION

Epoxyart Kit 3 to 1

PART# EPOXYARTKIT3TO1

EPOXY SYSTEM KIT 3:1 FOR RESIN COATING,
SCREENING AND REPAIRING



Epoxy system for resin coating and screening of stone materials. The use of this epoxy system is particularly suitable where high transparency, high penetration and slow curing times are required or for creating small masses of resin.

- ◆ **Appearance:** liquid transparent
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 3:1
- ◆ **Gel time in bulk (77°F):** 150-180min
- ◆ **Working time:** 24-48h



- ◆ LOW VISCOSITY
- ◆ MEDIUM HARDNESS
- ◆ GOOD REACTIVITY TO COLD

Epoxyart Kit 4 to 1

PART# EPOXYARTKIT3TO1

EPOXY SYSTEM KIT 4:1 FOR RESIN COATING,
SCREENING AND REPAIRING



Rapid epoxy system for resinating and screening stone materials. The use of this epoxy system is particularly suitable where a natural effect is desired, without altering the color of the material. Its formulation combines high reaction speed with low yellowing over time.

- ◆ **Appearance:** liquid transparent
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 4:1
- ◆ **Gel time in bulk (77°F):** 7-8min
- ◆ **Working time:** 6-8h



- ◆ MEDIUM VISCOSITY
- ◆ MEDIUM HARDNESS
- ◆ SUPERB REACTIVITY TO COLD

H-Knife

HIGH QUALITY TRANSPARENT KNIFE GRADE POLYESTER MASTIC



High viscosity polyester adhesive used to vertically or horizontally repair, rebuild, bond, and fill. Knife grade H will cure shiny, is very polishable and colors easily to match the stone. It cures fast and bonds extremely strong. Cures in lower temperatures. Recommended for indoor use.

- ◆ **Appearance:** Transparent paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 4-5 min
- ◆ **Tacky free in thin layer (77°F):** 25 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **CURES SHINY**
- ◆ **CURES FAST**
- ◆ **BONDS EXTREMELY STRONG**

Other features:

- ◆ Easy to color



125 ml	1CAA00BG20	45 pcs/bx
1 qt	1CAA00BG50	12 pcs/bx
1 gal	1CAA00BJ10	4 pcs/bx
5 gal	1CAA00BJ50	1 pc

Transparent Flowing

TRANSPARENT FLOWING POLYESTER MASTIC



Transparent liquid mastic with high adhesion. Its reactivity even at low temperatures, fast curing and easy penetration make it the ideal product for those looking for a transparent liquid mastic to repair imperfections, fill and glue even at low temperatures.

- ◆ **Appearance:** Yellowish transparent paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 5-8 min
- ◆ **Tacky free in thin layer (77°F):** 25 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **STRONG AND FAST BONDING**
- ◆ **REACTIVE EVEN AT LOW TEMPERATURES**
- ◆ **EASILY PENETRATES IMPERFECTIONS**

Other features:

- ◆ Easy to color



1 qt	FLOW1QT	12 pcs/bx
1 gal	FLOW1GAL	4 pcs/bx
5 gal	FLOW17KG	1 pc
Big Box (4x1.25 gal)	FLOWTRANSBB125	1 pc

Tixo EX

TRANSPARENT KNIFE GRADE POLYESTER MASTIC



Strong and ultra-fast low-yellowing trapping mastic. Soft and easy to trowel, it does not lose verticality and is ideal for exposed bonding, laminations and repairs.

- ◆ **Appearance:** Transparent paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 2-5 min
- ◆ **Tacky free in thin layer (77°F):** 25 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **STRONG AND ULTRA-FAST BONDING**
- ◆ **SOFT**
- ◆ **EXCELLENT SPREADABILITY**

Other features:

- ◆ Easy to color



1 qt	TIXOEXTRASPCT1QT	12 pcs/bx
1 gal	TIXOEXTRASPCT1GL	4 pcs/bx
5 gal	TIXOEXTRASPCT17KG	1 pc
Big Box (4x1.25 gal)	TIXOEXTRASPCTBBOX	4 pcs/bx

Travertine Filler

SEMI-SOLID COLORED POLYESTER MASTIC



Semi-solid mastic with high performance even on wet surfaces. Characterized by ultra-fast curing, excellent trowelability and high penetration, it is ideal for grouting medium to large holes (e.g., travertine), repairing and bonding.

- ◆ **Appearance:** Colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 1.30-2.30 min
- ◆ **Tacky free in thin layer (77°F):** 5-10 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **ADHESION EVEN ON WET SURFACES**
- ◆ **ULTRA-FAST CURING**
- ◆ **EXCELLENT SPREADABILITY**

Other features:

- ◆ Low shrinkage



1 qt	14AC01BG50	12 pcs/bx
1 gal	14AC01BJ10	4 pcs/bx
125 ml brown	14AC01BG40BROWN	45 pcs/bx
125 ml buff	14AC01BG40BUFF	45 pcs/bx

Colored KnifeGrade

HIGH QUALITY KNIFEGRADE POLYESTER MASTIC



Strong and rapid colored mastic with low yellowing. Soft and easy to spread, it is ideal for visible bonding, laminations and repairs. Recommended for indoor use.

- ◆ **Appearance:** Colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 4-5 min
- ◆ **Tacky free in thin layer (77°F):** 25-30 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **STRONG AND RAPID BONDING**
- ◆ **SMOOTH CONSISTENCY**
- ◆ **EXCELLENT SPREADABILITY**

Other features:

- ◆ Easily polishable



1 qt	Buff	17AC01BG50	12 pcs/bx
1 gal	Buff	17AC01BJ10	4 pcs/bx
1 qt	White	17AB01BG50	12 pcs/bx
1 gal	White	17AB01BG60	4 pcs/bx
1 qt	Black	17AT01BG50	12 pcs/bx

Colored Flowing

HIGH QUALITY FLOWING POLYESTER MASTIC



Colored liquid mastic with high adhesion. Its reactivity even at low temperatures, fast curing and easy penetration make it the ideal product for those looking for a colored liquid mastic to repair imperfections, putty and glue even at low temperatures.

- ◆ **Appearance:** Colored liquid
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 100:2-3%
- ◆ **Gel time in bulk (77°F):** 3-4 min
- ◆ **Tacky free in thin layer (77°F):** 15-20 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **STRONG AND FAST BONDING**
- ◆ **REACTIVE EVEN AT LOW TEMPERATURES**
- ◆ **EASILY PENETRATES IMPERFECTIONS**

Other features:

- ◆ Easily polishable



1 qt	Buff	11AC01BG50	12 pcs/bx
1 gal	Buff	11AC01BJ10	4 pcs/bx
1 qt	White	11AB01BG50	12 pcs/bx

Solido XQ - Quartz Color Match

HIGH QUALITY KNIFEGRADE COLOR MATCH FOR QUARTZ



Strong and fast colored mastic from low yellowing. This is ideal for exposed bonding, laminations and repairs. Available in a wide range of colors according to match color with major agglomerate brands.




- ◆ **STRONG AND FAST BONDING**
- ◆ **SMOOTH CONSISTENCY**
- ◆ **DRIPLESS FORMULA**

- ◆ **Appearance:** Thixotropic paste
- ◆ **Mixing ratio:** 100:2/3%
- ◆ **Gel time in bulk (77 °F):** 3-5 min
- ◆ **Tacky free time in thin layer (77 °F):** 25-30 min
- ◆ **Temp. range for use after hardening:** 32°F-230°F

Other features:

- ◆ Easily polishable



Tenax



VERTIGO



Bonding

Mastics and glues

Vertigo

Vertigo S COLORLESS KNIFE GRADE VINYLESTER GLUE



Vertigo S is the latest generation of vinyl ester glue formulas, Tenax used the latest raw materials to make Vertigo S very low yellowing in outdoor or UV applications. Cures shiny and is easily polishable.

- ◆ **Appearance:** Near colorless
- ◆ **Mixing ratio:** 100:1-2%
- ◆ **Gel time in bulk (77°F):** 4-5 min
- ◆ **Tacky free in thin layer (77°F):** 20 min

- ⊕ **DRIES VIRTUALLY CLEAR**
- ⊕ **EXTREMELY STRONG WITH EXCELLENT ADHESION**
- ⊕ **UV STABLE**

- Other features:**
- ◆ Dripless formula
 - ◆ Cures shiny



1 qt
1 gal
5 gal
Big Box (4x1.25 gal)

VERTIGOSKG1QT	12pcs/bx
VERTIGOSKG1GAL	4pcsbox
VERTIGOSKG17KG	1pc
VERTIGOSKGBB125	1pc

Vertigo Flowing WATER CLEAR FLOWING VINYLESTER GLUE



Tenax Vertigo Water Clear Flowing has been developed with the latest Vinyl Ester technology. Vertigo Water Clear Flowing is ideal for filling holes, seaming, laminations, miters, chip repair on all granite, marbles, quartz and quartzite, ceramic, porcelain, sintered stone materials. Vertigo

- ◆ **Appearance:** Colorless
- ◆ **Mixing ratio:** 100:1-2%
- ◆ **Gel time in bulk (77°F):** 4-5 min
- ◆ **Tacky free in thin layer (77°F):** 20 min

- ⊕ **VERY POLISHABLE**
- ⊕ **WATER CLEAR**
- ⊕ **SUPERB ON WHITE AND LIGHT MATERIAL**

- Other features:**
- ◆ Colors easily
 - ◆ Excellent workability



1 qt
1 gal
5 gal
Big Box (4x1.25 gal)

VERTIGOFLOW1QT	12pcs/bx
VERTIGOFLOW1GAL	4pcsbox
VERTIGOFLOW17KG	1pc
VERTIGOFLOWBB125	1pc

Domo 10 A+B

2 PART KNIFE GRADE EPOXY



Knifegrade epoxy with extreme performance in terms of bonding force and strength. Suitable for bonding and coupling, even on wet surfaces, it is also ideal for mixed bonding and under extreme temperatures.

- ◆ **Appearance:** Colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 1:1
- ◆ **Gel time in bulk (77°F):** 2h30min
- ◆ **Tacky free in thin layer (77°F):** 5 hours
- ◆ **Temp. range for use after hardening:** 32°F-230°F

- ◆ **EXTREMELY STRONG**
- ◆ **WORKS ON WET SURFACES**
- ◆ **IDEAL FOR LAMINATION AND BONDING**

Other features:

- ◆ Great for bonding mixed materials
- ◆ VOC Compliant



1A + 1B 1 Ltr	1RAA00BG50	3 sets/bx
1A 4 Ltr	1RAA00BG60A	1pc
1B 4 Ltr	1RAA00BG60B1pc	1pc

Fixtop A+B

SUPER STRONG AND LOW VOC KNIFE GRADE EPOXY



Extra strong and fast curing knifegrade mastic. The bond strength, high mechanical strengths make it ideal for safe and durable bonding and lamination. Also suitable for mixed bonding. Will not dissolve or breakdown in water.

- ◆ **Appearance:** Colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 1:1
- ◆ **Gel time in bulk (77°F):** 30-40 min
- ◆ **Tacky free in thin layer (77°F):** 2 hours
- ◆ **Temp. range for use after hardening:** -13°F-140°F

- ◆ **SUBSTRATE BONDING**
- ◆ **IDEAL FOR PORCELAIN PANELS**

Other features:

- ◆ Easy clean up
- ◆ VOC Compliant
- ◆ Trowelable



4 kg A	1RFIXTOP04KGA	4 pcs/bx
4 kg B	1RFIXTOP04KGB	4 pcs/bx
20 kg A	1RFIXTOP20KGA	1 pc
20 kg B	1RFIXTOP20KGB	1 pc

Rivo A+B

2-PART KNIFE GRADE EPOXY



Rivo A & B is a two-part knife grade epoxy designed for all types of stone. Rivo is one of the strongest epoxies in the stone industry. It will bond to almost any surface. Tenax Rivo 15 is designed for permanent application. The stone will break before the bond will.

- ◆ **Appearance:** Straw colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 1:1
- ◆ **Gel time in bulk (77°F):** 15-20 min
- ◆ **Tacky free in thin layer (77°F):** 2 hours
- ◆ **Temp. range for use after hardening:** -13°F-140°F

- ◆ **EXTRA STRONG**
- ◆ **FAST CURE**
- ◆ **IDEAL FOR MIXED BONDING**

Other features:

- ◆ Suitable for extreme heat
- ◆ VOC Compliant



1A + 1B 1 Ltr	1RJA00BG50	3 sets/bx
---------------	------------	-----------

Fixtop Fixdeck A+B

SLOW CURING TILE AND STONE EPOXY



Slow curing, super strong epoxy tile and stone adhesive. Produced specifically as a deck adhesive. Fixtop Deck is ideal for setting countertops on plywood when a slow curing glue is needed. Fixtop Deck has a very smooth consistency and is perfect for troweling. Will not dissolve or breakdown in water

- ◆ **Appearance:** Colored paste
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 1:1
- ◆ **Gel time in bulk (77°F):** 90 min
- ◆ **Tacky free in thin layer (77°F):** 4 hours
- ◆ **Temp. range for use after hardening:** -13°F-143°F

- ◆ **SUBSTRATE BONDING**
- ◆ **IDEAL FOR PORCELAIN PANELS**
- ◆ **EASY TO CLEAN UP**

Other features:

- ◆ Bonds hard but flexible
- ◆ VOC Compliant
- ◆ Trowelable



20 kg A	1RFIXTOP20KGA	1 pc
20 kg B Deck	1RFIXDECK20KGB	1 pc

Tenax



StrongEdge 45 A+B

2-PART TRANSPARENT KNIFE GRADE EPOXY



Near colorless, solid epoxy with high performance in bonding and fast curing. It is the specific solution for quick exposed bonding and is particularly suitable for 45° bonding.

- ◆ **Appearance:** Near colorless
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77 °F):** 8-13 min
- ◆ **Tacky free in thin layer (77°F):** 60 min
- ◆ **Temp. range for use after hardening:** -13°F-143°F

- ◆ **EXTRA STRONG AND FAST BONDING**
- ◆ **IDEAL FOR 45° MITERS**
- ◆ **UV STABLE**

Other features:

- ◆ Takes a polish
- ◆ VOC Compliant

Indoor
Outdoor

StrongEdge Express A+B

2-PART TRANSPARENT FLOWING EPOXY



Colorless, flowing epoxy with high performance in bonding and fast curing. It is the specific solution for those looking for a fast liquid epoxy mastic for exposed bonding and couplings.

- ◆ **Appearance:** Colorless
- ◆ **Colorable:** Universal coloring pastes
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 8-13 min
- ◆ **Tacky free in thin layer (77°F):** 60 min
- ◆ **Temp. range for use after hardening:** -13°F-143°F

- ◆ **CLEAREST EPOXY ON THE MARKET**
- ◆ **EXTREMELY STRONG ADHESION**
- ◆ **UV STABLE**

Other features:

- ◆ Does not shrink
- ◆ VOC Compliant

Indoor
Outdoor

1 qt - A	1RFSTRONGEDGE1KGA	12 pcs/bx
1 gal - A	1RFSTRONGEDGE4KGA	4 pcs/bx
.5 qt - B	1RFSTRONGEDGE0.5KGBE	12 pcs/bx
1 gal - B	1RFSTRONGEDGE4KGBE	4 pcs/bx

Eliox A+B

BI-COMPONENT EPOXY GLUE IN EXTRA CLEAR PASTE



If you are seeking a versatile knife grade adhesive, Eliox Knife Grade A+B is a great choice. This is an extra clear bi-component epoxy knife grade glue approved for food contact. Suitable to fill, glue and laminate marble, stone, granite, quartz and ceramic. Can be used indoor and outdoor. This product is extra clear, soft and light, easy to spread and with a high gloss and brightness.

- ◆ **Appearance:** Near colorless paste
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 10-15 min
- ◆ **Tacky free time in thin layer (77°):** 3h-3h30min
- ◆ **Minimum reaction temperature:** 50°F
- ◆ **Temp. range for use after hardening:** -13°F-140°F

- ◆ **EXTREME STRONG BONDING**
- ◆ **UV STABLE**
- ◆ **IDEAL FOR VISIBLE BONDING**

Other features:

- ◆ Bonds to almost any surface
- ◆ VOC Compliant



Food contact

Indoor
Outdoor1.5 kg A
0.75 kg B1RAA00BH15A
1RAA00BH075B12pcs/bx
12pcs/bx

f @ in v
TENAX4YOU.COM



Tenax

www.tenax4you.com



A Complete 360 Solution
Addressing Materials and Applications

NATURAL STONE

CERAMIC

QUARTZ



Our cartridge glues come in many colors.
Scan our QR code for our color match app!



Glaxs A+B

TRANSPARENT KNIFEGRADE GLUE ZERO YELLOWING



Natural stone • Ceramic • Quartz



Extra strong and extra clear knifegrade glue characterized by total absence of yellowing in the sun over time. Completely invisible, easily polished and suitable for extreme temperatures, it is ideal for all visible bonding.

- ◆ Appearance: Soft gel (Part A) + liquid (Part B)
- ◆ Colorable: Universal coloring pastes
- ◆ Mixing ratio: 1:1
- ◆ Gel time in bulk (77°F): 8 min
- ◆ Tacky free time (77°F): 25-30 min
- ◆ Minimum reaction temp.: 50°F
- ◆ Temp. range for use after hardening: -13°F to 140°F

- ◆ EXTRA STRONG BONDING
- ◆ EXTRA CLEAR
- ◆ IDEAL FOR EXPOSED BONDING



Indoor
Outdoor



1 kg A + 1 kg B 1RGLAXSBM11KG 1 set

Other features:

- ◆ Ideal for light and white materials
- ◆ Zero VOC

Glaxs BB65 Gel

SUPER FLOWING RESIN SYSTEM



Natural stone • Quartz




Tenax Glaxs BB65 Glue Super Flowing Pouch is a bi-component resin with zero yellowing to the sun and UV rays. It is a transparent resin, solvent free, low viscosity and medium reactivity adhesive. Offers good penetration and hardness.

- ◆ Appearance: Water clear
- ◆ Colorable: Universal coloring pastes
- ◆ Mixing ratio: 1:1
- ◆ Gel time in bulk (77°F): 30 min
- ◆ Tacky free time (77°F): 60 min
- ◆ Minimum reaction temp.: 32°F
- ◆ Temp. range for use after hardening: -13°F to 143°F

- ◆ TOTALLY INVISIBLE
- ◆ ZERO YELLOWING TO SUNLIGHT
- ◆ IDEAL FOR PITHOLES AND SLAB FILLING



Indoor
Outdoor



315 gr 1RGLAXSBB0315 1 pc

Other features:

- ◆ Zero VOC

Glaxs Fast 2+1

FAST ZERO YELLOWING GLUE



Natural stone • Ceramic • Quartz



Zero yellowing glue in convenient cartridge format. Extreme bonding strength, fast curing and maximum color stability in sunlight make it the ideal for 45° multimaterial bonding both indoors and outdoors. Does not drip and is easily polishable. Available in a wide range of colors to match most surfaces.

- ◆ **Appearance:** Color match
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 3-5 min
- ◆ **Tacky free time in thin layer(77°F):** 25 min
- ◆ **Minimum reaction temperature:** 32°F
- ◆ **Temp. range for use after hardening:** -13°F to 140°F



VOC FREE



NON-BLEEDING



COMPLETELY NON-YELLOWING

Other features:

- ◆ Pre-dosed
- ◆ Ready to use
- ◆ Includes 2 extrusion tips

GLAXS COLOR SWATCH KITS AVAILABLE FOR PURCHASE
1RGLAXSC1C1COLORCHART

Size: 215 ml

Cartridge gun required: GUN21521



Indoor
Outdoor



Glaxs Ultrafast-Chip Repair

ULTRA FAST ZERO YELLOWING GLUE



Natural stone • Ceramic • Quartz



Zero yellowing glue in convenient cartridge format. Extreme bonding strength, ultra-fast curing and maximum color stability in sunlight make it the ideal for multi-material exposed bonding both indoors and outdoors.

- ◆ **Appearance:** Gel
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 2 min
- ◆ **Tacky free time in thin layer(77°F):** 5 min
- ◆ **Minimum reaction temperature:** 32°F
- ◆ **Temp. range for use after hardening:** -13°F to 140°F



IDEAL FOR CHIP REPAIR

Other features:

- ◆ Pre-dosed
- ◆ Ready to use
- ◆ Includes 2 extrusion tips

50 ml

1RGLAXSULTRAFASSTR50 1 pc

Cartridge gun required: GB-CB-MR5012



Indoor
Outdoor



TENAX COLOR MATCHER

The TENAX range of bonding products is available in a wide range of colors, designed to guarantee maximum compatibility with the main QUARTZ and CERAMIC materials available on the market.

Click on the QR code to access the new Tenax Color Matcher app, and with a click, find the best match between the material you need to glue and the TENAX product to color match.



Available for: GLAXS FAST / SOLIDO XQ / MASTIDEK / STRONGBOND / SILICONE

Mastidek® Cartridge Glue

FAST GLUE FOR DEKTON® MASTIDEK®



Natural stone • Ceramic • Quartz



Bi-component resin used to glue Dekton. This glue has a very high adhesion in a short amount of time which allows for cutting and polishing the assembled parts in a short amount of time.

- ◆ **Appearance:** Colored liquid
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 3-5 min
- ◆ **Tacky free time (77°F):** 25 min
- ◆ **Minimum reaction temperature:** 32°F
- ◆ **Temp. range for use after hardening:** -13F to 140°F



EXCELLENT ADHESION



ZERO YELLOWING



CONSENTINO® APPROVED



Indoor
Outdoor



Size: 215 ml
Cartridge gun required: GUN21521

Strongbond Cartridge Glue

STRONG EPOXY GLUE FOR LAPITEC®



Natural stone • Ceramic • Quartz



Bi-component glue for gluing Lapitec®. It has zero yellowing and is UV stable to the sun. Fast and easy dispensing and use. Solvent free, with medium reactivity.

- ◆ **Appearance:** Colored liquid
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 2-5 min
- ◆ **Tacky free time (77°F):** 25 min
- ◆ **Minimum reaction temperature:** 32°F
- ◆ **Temp. range for use after hardening:** -13F to 140°F



ZERO YELLOWING



UV STABLE



LAPITEC® APPROVED



Indoor
Outdoor



Size: 215 ml
Cartridge gun required: GUN21521

Eliox Cartridge Glue

TRANSPARENT EPOXY GLUE



Natural stone • Ceramic • Quartz



Transparent glue in the convenient cartridge format. High color strength and stability, very low yellowing and long working time make it the ideal glue for exposed bonding, lamination and grouting.

- EXTRA STRONG**
- LONG WORKING TIME**
- VERY LOW YELLOWING**

- ◆ **Appearance:** Tixotropic paste
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 10-15 min
- ◆ **Tacky free time in thin layer (77°F):** approx. 3h-3h30 min
- ◆ **Minimum reaction temperature:** 41°F-50°F
- ◆ **Temp. range for use after hardening:** -13°F to 140°F

Other features:


- ◆ Pre-dosed
- ◆ Ready to use
- ◆ Includes 2 extrusion tips



Size: 215ml
Cartridge gun required: GUN21521

TeRod

PASTE GLUE FOR RODDING



Natural stone • Ceramic • Quartz



Extra strong and ultra fast paste glue specifically for rodding. Maximum elasticity, low shrinkage and high tightness make it the ideal for under-top structural reinforcement (rodding).

- EXTRA STRONG AND ULTRA FAST BONDING**
- MAXIMUM ELASTICITY**
- IDEAL FOR RODDING**

- ◆ **Appearance:** Paste
- ◆ **Mixing ratio:** 1:1
- ◆ **Gel time in bulk (77°F):** 3-6 min
- ◆ **Tacky free time in thin layer (77°F):** 12-15 min
- ◆ **Minimum reaction temp.:** 41°F
- ◆ **Temp. range for use after hardening:** -13F to 248°F

Other features:

- ◆ Pre-dosed
- ◆ Ready to use



400 ML GB-CB-400-2 10 pcs/bx
Cartridge gun required: M200XMR

Domo 21 Cartridge Glue

STRONG GLUE FOR MIXED MATERIALS



Natural stone • Ceramic • Quartz



Colored epoxy glue in convenient cartridge format. Extra strong and multi-material it is ideal for indoor and outdoor lamination, even on wet surfaces. Designed for permanent application. Does not drip.

- EXTRA STRONG**
- IDEAL FOR LAMINATION**
- BONDING EVEN ON WET SURFACES**

- ◆ **Appearance:** Colored paste
- ◆ **Mixing ratio:** 2:1
- ◆ **Gel time in bulk (77°F):** 10-15 min
- ◆ **Tacky free time in thin layer (77°F):** 90 min
- ◆ **Minimum reaction temp.:** 50°F
- ◆ **Temp. range for use after hardening:** -22°F to 140°F

Other features:


- ◆ VOC compliant
- ◆ Low shrinkage
- ◆ Includes 2 extrusion tips



215 ml Cartridge 1RAA008BD93W 9 pcs/bx
Cartridge gun required: GUN21511

Si Silicone

NEUTRAL SILICONE SEALANT



Natural stone • Ceramic • Quartz



Neutral multi-material silicone sealant ideal for materials that are easy to halation. Elastically seals and fixes ensuring a watertight and waterproof seal and long-lasting sealing. Solvent free and non-toxic.

- PERFECT SEALING**
- DOES NOT BLEED**
- DRIPLESS**

- ◆ **Appearance:** Transparent or colored paste
- ◆ **Skin formation time at 77°F/45%.h.:** 15-30 min

Other features:

- ◆ Easy to dose
- ◆ Low shrinkage

TAKE OUT NOZZLE



300 ML 1RSTRASP TRANSPARENT 24 pcs/bx
300 ML 1RSWHITE WHITE 24 pcs/bx

Tepox Q Color Match System

TO MATCH RESINED SLABS



Tepox Q is a special chemical color liquid used to color match stones that have been resined with color additives. Tepox Q may also be used to enhance slabs or to alter the look of a slab for specific applications. Use a single color or mix multiple colors together to achieve the desired effect.

- ◆ **Appearance:** Colored liquid
- ◆ **Coverage:** Approx. 215-323 ft²
- ◆ **Density:** 59.93 - 64.30 lb./ft³ (depends on color)

- ◆ **COLOR MATCH ENHANCED STONE**
- ◆ **ALTER THE LOOK OF SLABS FOR SPECIFIC APPLICATIONS**
- ◆ **CAN BE USED ON A VARIETY OF STONE FINISHES**

- Other features:**
- ◆ Available in a variety of colors
 - ◆ Available in 250 ml and 1 Liter



250 ML		
250 ml Black	1H364BLSM	50 pcs/bx
250 ml Brown	1H364BRSM	50 pcs/bx
250 ml Blue Rio	1H364BLURIOSM	50 pcs/bx
250 ml Blue Marine	1H364BLUEMARSM	50 pcs/bx
250 ml Bordeaux	1H364BORDSM	50 pcs/bx
250 ml Coliseum	1H364COLSM	50 pcs/bx
250 ml Ferrato	1H364FERR025	50 pcs/bx
250 ml Esmeralda	1H364GRSM	50 pcs/bx
250 ml Iron	1H364IRONSM	50 pcs/bx
250 ml Red/Rosso	1H364RSM	50 pcs/bx
250 ml Yellow	H364YSM	50 pcs/bx

1 LITER		
1 Ltr Giallo G1	1H364GIAG	12 pcs/bx
1 Ltr Black	1H364BL1LT	12 pcs/bx
1 Ltr Brown	1H364B1LT	12 pcs/bx
1 Ltr Ferrato	1H364FERRATO	12 pcs/bx
1 Ltr Grigio/Gray	1H364GRAY	12 pcs/bx
1 Ltr Platino	1H364PLAT	12 pcs/bx
1 Ltr Blue Brilliante	1H364BLUEB	12 pcs/bx
1 Ltr Blue Marino	1H364BLUEMAR1LT	12 pcs/bx
1 Ltr Giallo R	1H364GIAR	12 pcs/bx
1 Ltr Maple Brown	1H364MAPB	12 pcs/bx
1 Ltr Red/Rosso	1H364RED	12 pcs/bx
1 Ltr Bianco	1H364WHITE	12 pcs/bx

Universal Color Paste

FOR POLYESTER, EPOXY, AND ACRYLIC GLUES



These coloring pastes are made to add to adhesives so that the glue will blend with the color of the stone. Use one or mix multiple colors to get the perfect color to match the stone in your project. Available individually or in kits.

- ◆ **FOR POLYESTER, EPOXY, AND ACRYLIC GLUE**
- ◆ **EASY TO MIX**
- ◆ **TIPS DESIGNED TO PROVIDE PERFECT DROP SIZE**



2.5 oz		10 oz	
2.5 oz/Set of 10	1H3584ASET	10 oz Black	1H3586BLACK
2.5 oz Black	1H3584BLACK	10 oz White	1H3586WHITE
2.5 oz White	1H3584WHITE	10 oz Red	1H3586RED
2.5 oz Red	1H3584RED	10 oz Red Brown	1H3586REDBROWN
2.5 oz Red Brown	1H3584REDBROWN	10 oz Yellow	1H3586YELLOW
2.5 oz Yellow	1H3584YELLOW	10 oz Green	1H3586GREEN
2.5 oz Green	1H3584GREEN	10 oz Brown	1H3586BROWN
2.5 oz Brown	1H3584BROWN	10 oz Blue	1H3586BLUE
2.5 oz Blue	1H3584BLUE	10 oz Grey	1H3586GREY
2.5 oz Grey	1H3584GREY	10 oz Buff	1H3586BUFF
2.5 oz Buff	1H3584BUFF		

Universal Granite Color Paste

FOR POLYESTER, EPOXY, AND ACRYLIC GLUES

SAME GREAT FEATURES AT REGULAR UNIVERSAL COLOR PASTE



2.5 oz		10 oz	
2.5 oz/ Granite Set of 6	1H3584ASET	10 oz Giallo Venezia	1H3587VENETIANYELLOW
2.5 oz Giallo Venezia	1H3585VENETIANYELLOW	10 oz Santa Cecilia	1H3587SANTACECILIA
2.5 oz Santa Cecilia	1H3585SANTACECILIA	10 oz Blue Pearl	1H3587BLUEPEARL
2.5 oz Blue Pearl	1H3585BLUEPEARL	10 oz Baltic Brown	1H3587BALTICBROWN
2.5 oz Baltic Brown	1H3585BALTICBROWN	10 oz Uba Tuba	1H3587UBATUBA
2.5 oz Uba Tuba	1H3585UBATUBA	10 oz Black Galaxy	1H3587BLACKGALAXY
2.5 oz Black Galaxy	1H358BLACKGALAXY		

Ager - The Original

COLOR ENHANCER IMPREGNATOR SEALER



Color enhancer impregnator sealer wet effect. Its high penetration capacity, long life and weather resistance make it the ideal product for those looking for a product with extreme performance in terms of wet-effect toning and surface protection.

- ◆ **Appearance:** Liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ EXTREME LONG-LASTING ENHANCING
- ◆ MAXIMUM PROTECTION
- ◆ WEATHER RESISTANT

Other features:

- ◆ Penetrates deeply
- ◆ Anti-graffiti
- ◆ Allows material to breathe
- ◆ Indoor and outdoor



250 ml	1MPA00BD80	50 pcs/bx
1 qt	1MPA00BG50	12 pcs/bx
5 Ltr	1MPA00BG60	1 pc
55 Ltr	1MPA00BG70	1 pc
200 Ltr	1MPA00BG90	1 pc

Ager Tiger

COLOR ENHANCER IMPREGNATOR SEALER FOR EXOTIC STONE



Color enhancer impregnator sealer ideal for edges. Its high penetration capacity and weather resistance make it the ideal product for maximum toning and long-lasting edge protection.

- ◆ **Appearance:** Opalescent Liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ EXTREME LONG LASTING ENHANCING
- ◆ WEATHER RESISTANT
- ◆ IDEAL FOR EXOTIC STONES

Other features:

- ◆ Does not create surface film
- ◆ Allows material to breathe
- ◆ Facilitates cleaning
- ◆ Indoor and outdoor



250 ml	1MPA001BG40	50 pcs/bx
1 qt	1MPA001BG50	12 pcs/bx

Ager FS

WATER-OIL REPELLENT REVIVING WET EFFECT

NEW FORMULA!
Replaces Quartz Toner Plus



Water-oil repellent treatment reviving wet effect. Its high penetration capacity, long life and weather resistance make it the ideal product for those looking for a product with extreme performance in terms of wet-effect toning and surface protection. Approved for food contact.

- ◆ **Appearance:** Liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based



Food contact

- ◆ EXTREME LONG-LASTING ENHANCING
- ◆ FOOD SAFE CERTIFIED
- ◆ IDEAL FOR KITCHEN COUNTERTOPS

Other features:

- ◆ Penetrates deeply
- ◆ Does not create surface film
- ◆ Allows material to breathe
- ◆ Indoor and outdoor



250 ml	AGERFS250ML	12 pcs/bx
1 qt	AGERFS1QT	12 pcs/bx

Ager Pen

HIDES, SHEILDS, PROTECTS



Tenax Ager Pen penetrates scratches, nicks, or chips in medium to dark color stone: marble, granite, quartz, quartzite. Does not remove the scratch but makes it less noticeable. Hides the "white" left on stone from scratches.

- ◆ **Appearance:** Liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ EASY TO USE
- ◆ WORKS TO HIDE "WHITE" MARKS
- ◆ COMES IN T 6 PIECE DISPLAY

Other features:

- ◆ See results immediately
- ◆ Anti-graffiti
- ◆ No surface film
- ◆ Indoor and outdoor



Ager Pen	1MPAGERPEN	6pcs/bx
----------	------------	---------

Petrolux

TRANSPARENT MICROFISSURE REPAIR AND POLISH



Used for the treatment of shiny surfaces of granites, marbles and quartz agglomerates to increase their colour and eliminate surface microcracks. The application also leads to an increase in gloss values and makes the treated surfaces water-oil repellent. Good brightening power and ease of application make it the ideal product for large area applications.

- ◆ **Appearance:** Opalescent liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ **EASY TO APPLY**
- ◆ **IDEAL FOR LARGE AREAS**
- ◆ **DOES NOT CREATE SURFACE FILMS**

Other features:

- ◆ Allows material to breathe
- ◆ Facilitates cleaning
- ◆ Easy to apply
- ◆ Disguise webbing and microfissures
- ◆ Indoor and outdoor

1 Ltr
200 Ltr1MTPETROLUX
IMTPETROLUX20012 pcs/bx
1 pc

Hydrex

NATURAL EFFECT SEALER



Hydrex is recommended for polished marbles, granites and quartz agglomerates, sometimes also ceramic. Excellent value for money, which, together with ease of application, makes it ideal for large surfaces. It does not alter the natural color of the material.

- ◆ **Appearance:** Colorless opalescent liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ **EASY TO APPLY**
- ◆ **IDEAL FOR LARGE AREAS**
- ◆ **DOES NOT CREATE FILMS**

Other features:

- ◆ Zero yellowing
- ◆ Anti-graffiti
- ◆ Allow material to breathe
- ◆ Indoor and outdoor
- ◆ Excellent for grout

.250 ml
1 qt
5 Ltr
55 Ltr
200 Ltr1MMA00BD80
1MMA00BG50
1MMA00BG55
1MMA00BG60
1MMA00BG7050 pcs/bx
12 pcs/bx
1 pc
1 pc
1 pc

Toner Black

BLACK GRANITE BRIGHTENER

NEW FORMULA!
Replaces Uniblack 1



Water-oil reviving treatment specifically for black granites. High toning performance and long life make it the ideal product for correcting typical defects in black granites and homogenizing their color.

- ◆ **Appearance:** Black liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based

- ◆ **LONG-LASTING STRONG TONER**
- ◆ **HOMOGENIZES THE COLOR**
- ◆ **WATER REPELLENT**

Other features:

- ◆ Does not create surface film
- ◆ Allows material to breathe
- ◆ Facilitates cleaning
- ◆ Improves defects in stone
- ◆ Quick drying



1qt

TONERBLACK1QT

12 pcs/bx

Skudo

NATURAL EFFECT WATER BASED SEALER

NEW FORMULA!
Replaces Skudo Universal




Natural effect water based water-oil repellent sealer approved for food contact. High protection, food contact certification and easy application make it ideal for protecting countertops and even large surfaces.

- ◆ **Appearance:** Clear liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Food contact



Water based

- ◆ **HIGH PROTECTION**
- ◆ **IDEAL FOR COUNTERTOPS AND LARGE AREAS**
- ◆ **WEATHER RESISTANT**

Other features:

- ◆ Does not create surface film
- ◆ Allows material to breathe
- ◆ Low VOC
- ◆ Indoor and outdoor
- ◆ Excellent for grout



1lt

1MAASKUDO


12pcs/bx

Proseal Nano

PREMIUM GRADE QUARTZITE STONE SEALER



Natural effect water-oil impregnator sealer. Its high penetration capacity and resistance to weathering make it ideal for extreme and long-lasting protection of surfaces. Proseal Nano is a stone sealer formulated specifically for quartzite material. This solvent-based impregnating sealer also works on many other natural stone surfaces. Proseal Nano Quartzite stone sealer is an excellent stone sealer for glossy and polished surfaces even if the stone has a higher absorption rate. It penetrates and settles into the material's micro-pores and protects the stone from all kinds of dirt.



- ◆ **Appearance:** Opalescent Liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ **EXTREME LONG-LASTING PROTECTION**
- ◆ **PENETRATES DEEPLY**
- ◆ **IDEAL FOR QUARTZITE**

Other features:

- ◆ Weather resistant
- ◆ Does not alter the color
- ◆ Does not create surface films
- ◆ Allows the material to breathe
- ◆ Indoor and outdoor



Solvent based

1 lt
250 ml1PROSEALN1LT
1MTPROSEALN25012 pcs/bx
12 pcs/bx

Proseal FS

WATER & OIL STAIN-RESISTANT SEALER



Natural-effect stain-resistant water-oil treatment. Its high penetration capacity and resistance to weathering make it ideal for high and long-lasting protection of surfaces. Approved for food contact

- ◆ **Appearance:** Opalescent Liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



Solvent based Food contact



- ◆ **MAXIMUM LONG-LASTING PROTECTION**
- ◆ **FOOD SAFE CERTIFIED**
- ◆ **IDEAL FOR KITCHEN COUNTERTOPS**

Other features:

- ◆ Does not alter the color of the material
- ◆ Does not create surface film
- ◆ Allows the material to breathe
- ◆ Indoor and outdoor

250 ml
1 qtPROSEALFS250ML
PROSEALFS1QT12 pcs/bx
12 pcs/bx

Proseal

ULTRA PREMIUM STONE SEALER



Natural effect water-oil impregnator sealer. Its high penetration capacity and resistance to weathering make it ideal for high and long-lasting protection of surfaces. Proseal is rated by fabricators as one of the best stone sealers to be used on natural stone such as granite and marble.

- ◆ **Appearance:** Opalescent Liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



Solvent based



- ◆ **LONG-LASTING HIGH PROTECTION**
- ◆ **ALSO IDEAL FOR LARGE SURFACES**
- ◆ **ANTI-GRAFFITI**

Other features:

- ◆ Does not alter the color
- ◆ Does not create surface films
- ◆ Allows the material to breathe
- ◆ Works on multiple materials
- ◆ Indoor and outdoor

.250 ml
1 qt
5 Ltr
200 Ltr1MTPROSEAL02
1MTPROSEAL
1MTPROSEAL05
1MTPROSEAL20050 pcs/bx
12 pcs/bx
1 pc
1 pc

Proseal P

DEEP PENETRATING NATURAL EFFECT SEALER

NEW FORMULA!
Replaces Protex



Natural-effect stain-resistant water-oil treatment specifically for porous materials. The product penetrates deeply ensuring long-lasting high protection of surfaces.

- ◆ **Appearance:** Opalescent Liquid
- ◆ **Coverage:** 108-162 sq ft per quart depending on the porosity of stone



Solvent based



Food contact

- ◆ **LONG-LASTING HIGH PROTECTION**
- ◆ **IDEAL FOR POROUS MATERIALS**
- ◆ **FOOD SAFE CERTIFIED**

Other features:

- ◆ Slight sheen finish
- ◆ Does not create surface film
- ◆ Allows the material to breathe
- ◆ Makes cleaning easier
- ◆ Indoor and outdoor



1 qt

PROSEALP1QT

12 pcs/bx

Sealer Application Chart

★ - **LOW**

★★ - **GOOD**

★★★ - **BETTER**

★★★★ - **BEST**

MATERIAL	PROSEAL	PROSEAL NANO	PROSEAL FS	HYDREX	SKUDO	AGER	AGER TIGER	AGER FS
MARBLE - Polished	★★★★	★★★★	★★★★	★★★★	★★★	★★★★	★★★★	★★★★
MARBLE - Honed/Brushed	★★★★	★★★★	★★★★	★★★	★★★	★★★	★★★★	★★★
GRANITE - Polished	★★★★	★★★★	★★★★	★★★	★★★	★★★★	★★★★	★★★★
GRANITE - Honed/Brushed	★★★★	★★★★	★★★★	★★	★★★	★★★	★★★★	★★★
EXOTIC GRANITE - Polished	★★★★	★★★★	★★★★	★★	★★★	★★★★	★★★★	★★★★
EXOTIC GRANITE - Honed/Brushed	★★★★	★★★★	★★★★	★★	★★★	★★★	★★★★	★★★
LIMESTONE/SANDSTONE - Polished	★★★★	★★★★	★★★★	★	★★	★★★★	★★★★	★★★★
LIMESTONE/SANDSTONE - Honed/Brushed	★★★★	★★★★	★★★★	★	★★	★★★	★★★★	★★★
TERAZZO, CONCRETE AGGLOMERATE - Polished	★★★★	★★★★	★★★★	★★	★★★	★★★★	★★★★	★★★★
TERAZZO, CONCRETE AGGLOMERATE - Honed/Brushed	★★★★	★★★★	★★★★	★★	★★	★★★	★★★★	★★★
QUARTZ/ENGINEERED STONE - Polished	★★★	★★★★	★★★	★	★	★★	★★	★★★★
QUARTZ/ENGINEERED STONE - Honed/Brushed	★★★	★★★★	★★★	★	★	★★	★★	★★★★
CHANGE THE COLOR OF THE STONE	NO	NO	NO	NO	NO	YES	YES	NO
QUARTZITE	★★	★★★★	★★	★	★★	★	★	★
 FOOD SAFE	AFTER CURE	AFTER CURE	CERTIFIED	AFTER CURE	CERTIFIED	AFTER CURE	AFTER CURE	CERTIFIED

Cera Pasta

CONCENTRATED PASTE WAX

NEW FORMULA!
Replaces *Tewax*



Concentrated paste wax formulated with special white and extra-pure waxes, gives maximum shine to polished surfaces without creating surface films and ensuring a long-lasting effect.

- ◆ **Appearance:** Black or white paste
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based



Result



1 qt Clear

CERAPASTA1QT

12 pcs/bx

- ◆ MAXIMUM SHINE
- ◆ NATURAL EFFECT
- ◆ DOES NOT CREATE FILMS

Other features:

- ◆ Penetrates deeply
- ◆ Restores the original shine of the material

Shinex

LIQUID SILICONE WAX



Fast-drying liquid silicone wax, gives the surface maximum shine with instant effect. Easy to apply it also provides good water-oil protection.

- ◆ **Appearance:** Opalescent liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based



Untreated

Treated



1 ltr

1MCT01BG50

12 pcs/bx

- ◆ MAXIMUM SHINE WITH INSTANT EFFECT
- ◆ QUICK DRYING
- ◆ ENHANCING EFFECT

Other features:

- ◆ For indoor use
- ◆ Provides optimum degree of gloss

Cera Black G

LIQUID WAX FOR BLACK GRANITE

NEW FORMULA!
Replaces *Uniblack 2*



Black liquid wax specifically designed to increase the brilliance and tone of black granites. Easy to apply and quick to dry, it provides a long-lasting effect by helping to homogenize even slabs that have different shades, covering flakes and masking webbing..

- ◆ **Appearance:** Black liquid
- ◆ **Coverage:** 215-323 sq ft per quart depending on the porosity of stone



Solvent based



1 qt

CERABLACKG1QT

12 pcs/bx

- ◆ MAXIMUM LONG-LASTING SHINE
- ◆ TONING EFFECT
- ◆ RESTORES BLACK GRANITE

Other features:

- ◆ Black liquid wax

Luxor

SELF-POLISHING PAINT

NEW FORMULA!
Replaces *Telux*



Liquid self-polishing paint, gives the surface maximum instant gloss effect. Easy to apply, it is ideal for edges, columns and all areas where mechanical polishing is difficult.

- ◆ **Appearance:** Opalescent Viscous liquid
- ◆ **Coverage:** 215-269 sq ft per quart depending on the porosity of stone



Solvent based



Result



1 qt

LUXOR1QT

12 pcs/bx

- ◆ MAXIMUM INSTANT GLASSY EFFECT
- ◆ FAST DRYING
- ◆ IDEAL FOR EDGES

Other features:

- ◆ Will create a coating
- ◆ Not suitable for flooring

Also available in
a spray can
#LUXORS0.5LT

Booster Alk Easy

UNIVERSAL ALKALINE DEGREASER

NEW FORMULA!

Replaces Bravo Stain Fighter and Quartz Stain Fighter



Universal alkaline degreaser cleaner in handy spray bottle format. Easy to rinse, it is the ideal ally for strong cleaning of organic and inorganic stains. Removes dirt and fingerprints quickly while respecting joints and steel.

◆ **Appearance:** Clear liquid



- ◆ REMOVES QUARTZ STAINS
- ◆ PLEASANT FRAGRANCE

Other features:

- ◆ Ideal for extraordinary cleaning and removal of water, wine, soda, coffee, daily food dirt, fruit stains, fingerprints, wax residue

750 ml
200 lt BALKEASY750
BALKEASY200 12 pcs/bx
1 pc

Booster Acid

CONCENTRATED ACID DESCALER

NEW FORMULA!

Replaces Cement Remover and Quartz Ax Fighter



Concentrated acid descaler, the specific ally for end-of-site cleaning. Extra strong, removes the most stubborn scorch while respecting joints and steel.

◆ **Appearance:** Pinkish-red liquid



- ◆ EXTRA STRONG
- ◆ RESPECTS IDEAL FOR END-OF-SITE CLEANING

Other features:

- ◆ Removes all cement residues, residues of paint, mortar, stucco, plaster
- ◆ Eliminates limescale and salt efflorescence

1 ltr BACID1LT 12 pcs/bx

Booster Alk

CONCENTRATED ALKALINE DEGREASER

NEW FORMULA!

Replaces Booster, BrioAction 1 and BrioAction 3



Concentrated alkaline degreaser cleaner formulated for removing the most stubborn spots, treatment residues, and epoxy residues. It deeply cleans surfaces by quickly removing even layered grease.

◆ **Appearance:** Light yellow liquid



- ◆ EXTRA STRONG
- ◆ CLEANS DEEPLY
- ◆ QUICKLY REMOVES LAYERED GREASE

Other features:

- ◆ Ideal for extraordinary cleaning and removal of organic and inorganic stains
- ◆ Pleasant fragrance

1 ltr BALK1LT 12 pcs/bx

Sealer & Wax Remover

DEEP PENETRATING NATURAL EFFECT SEALER

NEW FORMULA!

Replaces Ager Remover and Wax Remover



Detersolvent for removing application errors, layers of old treatments and waxes of all types. Removes accumulated greasy and stubborn dirt.

- ◆ **Appearance:** Colorless liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ EXTRA STRONG REMOVAL OF ALL TREATMENTS
- ◆ RESTORES SURFACES
- ◆ IDEAL FOR EXCESS AND MISAPPLICATION

Other features:

- ◆ Ready to use
- ◆ For accumulated dirt and grease



1qt SWAXREMOVER1QT 12pcs/bx

Stain Rescue Remover

EXTRA STRONG DETERGENT

NEW FORMULA!

Replaces Quartz ExtraClean Pro



Extra strong solvent-based cleaner. Ready to use, it is ideal for removing greasy dirt and removing suction cup marks from surfaces.

- ◆ **Appearance:** Colorless liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ ULTRA EFFECTIVE STAIN REMOVER
- ◆ REMOVES GREASY DIRT
- ◆ ALSO REMOVES SUCTION CUP MARKS

Other features:

- ◆ Ready to use
- ◆ Removes permanent marker
- ◆ Removes quartz film



1qt SRESCUEREMOVE 12 pcs/bx

Rust Remover

ACID DETERGENT - SPECIFIC FOR RUST REMOVAL



Rust Remover is a professional, water-based rust remover, ideal for marble (non-polished), stones and granite, quartz and ceramics. It is a specific product for the removal of any residue or rust stain from the treated surface.

- ◆ **Appearance:** Light yellow liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ **FAST ACTING**
- ◆ **READY TO USE**
- ◆ **REMOVES DEPOSITS, RESIDUES, AND RUST STAIN**

Other features:

- ◆ Combine with TeRust for extra power



1 ltr 1MAAPOU04 12 pcs/bx



Antislip M

ANTI-SLIP TREATMENT FOR MARBLE



Ultimate anti-slip treatment for marble. The water-based product makes the floor safe even in wet conditions without creating surface film and leaving no residue.

- ◆ **Appearance:** Opalescent liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ **CREATES NON-SLIP SURFACE**
- ◆ **IDEAL FOR MARBLE SURFACES**
- ◆ **EFFECTIVE EVEN IN WET CONDITIONS**

Other features:

- ◆ Ideal for stairs, entrances, swimming pools, both indoor and outdoor
- ◆ Indoor and outdoor



1 ltr 1MAAANTISLIPM 12 pcs/bx



Antislip

ANTI-SLIP TREATMENT

NEW FORMULA!
Replaces Antislip G



Ultimate anti-slip treatment for granite, agglomerates and ceramics. The water-based product makes the floor safe even in wet conditions without creating surface film and leaving no residue.

- ◆ **Appearance:** Clear yellow liquid
- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ **CREATES A NON-SLIP SURFACE**
- ◆ **EFFECTIVE EVEN IN WET CONDITIONS**

Other features:

- ◆ Ideal for stairs, entrances, swimming pools, both indoor and outdoor
- ◆ Indoor and outdoor



1 ltr 1MAAANTISLIPG 12 pcs/bx



Formula 131

WATER-BASED ANTI-ACID PROTECTION+ACTIVATOR



Matt and polishable antiacid coating for the protection of marble, stone and agglomerate from acid agents attack and colored stains deriving from food, drinks and common products for ordinary cleaning of bathroom and kitchen top.

- ◆ **ZERO YELLOWING**
- ◆ **LOW VOC**
- ◆ **NON-HAZARDOUS FOR THE ENVIRONMENT**

Other features:

- ◆ Natural aesthetic effect
- ◆ Removable
- ◆ Invisible seal
- ◆ Matt and glossy finish
- ◆ Indoor use

Coverage: 78-86 sq ft per liter depending on the porosity of stone



FORM131.1QT
FORM131.2.1GALL
FORM131.95GAL



1 Quart Kit
1 Gallon Kit
5 Gallon Kit



Food contact



Water based



TeRust RUST REMOVER POWDER

NS Q
Natural stone • Quartz



Product for treating stone surfaces and designed for removing surface rust using a special blend of chelates that remove rust from natural stone such as granite, travertine, marble, limestone, terrazzo, concrete, brick, sanded grout.

◆ **Appearance:** White powder



- ◆ CONTAINS A SPECIAL BLEND OF CHELATES FOR REMOVING RUST STAINS FROM STONE.
 - ◆ DRAWS THE STAIN OUT OF THE STONE
 - ◆ COMBINE WITH RUST REMOVER FOR STRONGER EFFECT
- 8 oz 1TEFILLRUST 12 pcs/bx

TeEtch POLISHING POWDER ETCH REMOVER

NS
Natural stone



TeEtch polishing compound using a special formula that is designed to remove etch marks, water marks, dull spots, water rings, and even light scratches from marble, travertine, limestone, alabaster, onyx.

◆ **Appearance:** White paste: remove excess water from top of jar



- ◆ COMBINATION OF SPECIALLY FORMULATED POLISHING POWDERS
 - ◆ REMOVES ETCH MARKS, WATER MARKS, WATER RINGS, DULL SPOTS, AND EVEN LIGHT SCRATCHES
- Not for use on Granite!**
- 8 oz 1TEFILLETCHE 12 pcs/bx

TeClean STAIN POULTICE POWDER

NS Q
Natural stone • Quartz



TeClean stain remover is a poultice powder that is formulated for drawing stains out of natural stone surfaces by using a stain process reversal technique to pull the stain out of the stone. For use with granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout, etc..

◆ **Appearance:** White powder



- ◆ DRAWS THE STAIN OUT OF THE STONE
 - ◆ REMOVES STAINS SUCH AS OIL, GREASE, WINE, TEA, COFFEE, AND OTHER ORGANIC STAINS
- 8 oz 1TEFILLCLEAN 12 pcs/bx

TeFill CHIP REPAIR

NS C Q
Natural stone • Ceramic • Quartz



Dual viscosity repair kit that dries in under a minute and leaves a polished look on stone surfaces that can be used for a variety of blemishes such scratches and chips.



- ◆ CURES CLEAR AND LEAVES A POLISHED FINISH ON STONE
 - ◆ BUY AS KIT OR INDIVIDUAL COMPONENTS
- | | | |
|----------------------------------|-------------|-----------|
| TeFill Kit Set/3 | 1TEFILLKIT | 12 pcs/bx |
| 2 oz Tefill1 CPS105 | 1TEFILL1 | 12 pcs/bx |
| 2 oz Tefill 2 CPS500 | 1TEFILL2 | 12 pcs/bx |
| 2 oz Tefill 3 Activator/pump | 1TEFILL3 | 12 pcs/bx |
| 10 oz Tefill 3 Activator/aerosol | 1TEFILL3A | 12 pcs/bx |
| 16 oz Tefill 1 | 1TEFILL11LB | 1 pc |
| 16 oz Tefill 2 | 1TEFILL21LB | 1 pc |

TeBlossom GREEN STAIN REMOVER

NS Q
Natural stone • Quartz



This two-part chemical poultice process removes the green, blue, or bluish-green stains that can result from using chip repair kits and is used in a similar way to that of poultice powders.



- ◆ PULLS OUT THE STAIN CAUSED BY CYANOACRYLATE AND ACTIVATOR
 - ◆ APPLICATION SIMILAR TO POULTICE
 - ◆ DOES NOT ETCH STONE
- Kits available with or without TeClean**
- | | | |
|------------------------------|--------------|------|
| 4 oz #1/4 oz #2 | IMAAPOUI5 | 1 pc |
| 4 oz #1/4 oz #2/8 oz TeClean | TEBLOSSOMKIT | 1 pc |

Universal Repair Kit

FOR PROFESSIONAL AND HIGH QUALITY REPAIRS OF NATURAL STONE, CERAMIC, & QUARTZ SURFACES


NS C Q
Natural stone • Ceramic • Quartz



Contains:

- ◆ 6 pcs Universal Repair Cartridges / 50ml each
- ◆ 5 pcs Universal Coloring Paste / 75 ml - white, yellow, red, blue, black
- ◆ 1 cartridge gun
- ◆ 10 mixing tips
- ◆ 4 plexiglass slides

Ideal for chipping on the surface or on the edges!



Universal Repair Kit 1H3583REPAIRKIT 1 pcs/bx

LUSTRO ITALIANO™

The Lustro Italiano™ Stone Care Kit has been engineered to safely clean and maintain granite kitchen countertops. It is safe and effective also on marble, quartz surfaces, corian and all other solid surfaces.

Packaging specifically designed with the homeowner in mind, Lustro Italiano™ is for the showroom retail environment and to keep customers coming back. Uses the long history of Italian stone masters to enhance credibility.

Elegant, specialized stone care products and packaging to support the consumer's perception that stone is a valuable addition to their home.

www.lustroitaliano.com



Lustro Italiano™ Stone Care Kit

CLEAN AND MAINTAIN

NS

Natural stone



The Lustro Italiano™ Stone Care Kit has been specifically engineered to safely clean and maintain granite kitchen countertops. It is safe and effective also on marble, quartz surfaces, corian and all other solid surfaces.

Contains:

- ◆ 32 oz Cleaner Spray Bottle
- ◆ 11 oz Aerosol Spray Polish



Lustro Italiano Stone Care Kit

LUSTROSET

12 pcs/bx



SAFE AND EFFECTIVE ON GRANITE AND MANY OTHER SOLID SURFACES



TWO-PART MAINTENANCE

Lustro Italiano™ Stone Cleaner

CLEAN COUNTERTOPS AND STONE SURFACES

NS

C

Q

Natural stone • Ceramic • Quartz



Lustro Italiano™ stone cleaning solution is formulated for the cleaning of surfaces such as granite, marble, quartz. It will not destroy stone sealers like other cleaning products used for natural stone. Can be used on other surfaces such as Corian, as well as stainless steel and ceramic tile.

Available in:

- ◆ 32 oz Cleaner Spray Bottle
- ◆ 16 oz Cleaner Spray Bottle



16 oz Cleaner Spray Bottle
32 oz Cleaner Spray Bottle

LUSTROCLEAN16
LUSTROCLEAN

12 pcs/bx
12 pcs/bx



NO HARSH DETERGENTS



STREAK-FREE

Lustro Italiano™ Stone Polish

SEAL AND SHINE STONE SURFACES

NS

Natural stone



Lustro Italiano™ Stone Polish Aerosol spray on polish is designed to maintain the shiny finish of natural stone surfaces such as granite, marble, quartzite, onyx, sandstone, slate, and more stone used for hard surfaces.

- ◆ **Coverage:** 120-150 sq ft per 11 oz can depending on the porosity of stone



11 oz Aerosol Spray Polish

LUSTROPOL

12 pcs/bx



AEROSOL SPRAY WITH SEALANTS



BRINGS OUT THE NATURAL LUSTER OF STONE

Lustro Italiano™ Stone Sealer

PREMIUM GRADE SEALER



Lustro Italiano™ stone sealer is an ultra premium grade sealer designed to penetrate deep into the micropores of stone: granite, marble, travertine, limestone, and engineered stone. It is also a premium grade grout sealer and works excellent on all natural stone tiles.

- ◆ **Coverage:** 215-323 sq ft per liter depending on the porosity of stone



- ◆ WILL NOT CHANGE COLOR OF STONE
- ◆ DEEP PENETRATION INTO THE PORES OF THE STONE
- ◆ PROVIDES UP TO 5 YEARS OF PROTECTION
- ◆ FOOD SAFE CERTIFIED

8.5 oz LUSTROSEAL 12 pcs/bx

Lustro Italiano™ Etch Remover

ETCH AND WATERMARK REMOVER



Lustro Italiano™ TeEtch polishing compound using a special formula that is designed to remove etch marks, water, marks, dull spots, water rings, and even light scratches from marble, travertine, limestone, alabaster, onyx.

- ◆ **Appearance:** White paste: remove excess water from top of jar



- ◆ COMBINATION OF SPECIALLY FORMULATED POLISHING POWDERS
- ◆ REMOVES ETCH MARKS, WATER MARKS, WATER RINGS, DULL SPOTS, AND EVEN LIGHT SCRATCHES

Not for use on Granite!

8 oz LUSTROETCH 12 pcs/bx

Lustro Italiano™ Rust Remover Powder

REMOVES RUST STAIN FROM STONE



Lustro Italiano™ Rust Remover powder is designed to remove rust stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, and sanded grout.

- ◆ **Appearance:** White powder



- ◆ SPECIAL BLEND OF CHELATES
- ◆ DRAWS THE STAIN OUT OF THE STONE

8 oz LUSTRORUST 12 pcs/bx

Lustro Italiano™ Stain Remover Poultice Powder

DRAWS THE STAIN OUT OF THE STONE



Lustro Italiano™ Stain Remover Poultice Powder contains stone-safe surfactants and diatomaceous earth to remove stains on stone. Designed to remove stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout, etc.

- ◆ **Appearance:** White powder



- ◆ DRAWS THE STAIN OUT OF THE STONE
- ◆ GOOD FOR STAINS LIKE OIL, GREASE, WINE, TEA, COFFEE, AND OTHER ORGANIC STAINS

8 oz LUSTROPOWDER 12 pcs/bx

Lustro Italiano™ Quartz Stone Care Kit

CLEAN, POLISH, AND SHINE



Lustro Italiano™ Quartz Stone Care Kit is designed for use on quartz surfaces. This kit includes quartz cleaner for everyday cleaning as well as the quartz enhancing polish for treating the surface periodically.

Contains:

- ◆ 16 oz Quartz Cleaner Spray Bottle
- ◆ 8.5 oz Quartz Polish & Enhancer



- ◆ DESIGNED TO CLEAN AND MAINTAIN QUARTZ AGGLOMERATE SURFACES
- ◆ USE CLEANER DAILY & POLISH TO BRING OUT THE SHINE

16 oz / 8.5 oz LUSTROQUARTZSET 12 pcs/bx

Lustro Italiano™ Quartz Polish & Enhancer

ENHANCE COLOR AND BRING OUT SHINE



Lustro Italiano™ Quartz Polish and Enhancer is a surface treatment that can be used on a variety of engineered stone surfaces to enhance the color of the stone. It can be used on multiple finishes and protects the stone from an array of harmful substances.

- ◆ **Coverage:** 250-300 sq ft per liter depending on the porosity of stone



- ◆ USED TO ENHANCE COLOR ON A WIDE VARIETY OF ENGINEERED STONE SURFACES
- ◆ WORKS WELL TO DISGUISE SMALL SCRATCHES

8.5 oz LUSTROQUART250 12 pcs/bx

Lustro Italiano™ Quartz Stone Cleaner

GENTLE DAILY CLEANER



Lustro Italiano™ Quartz Cleaner is designed for the daily cleansing of quartz surfaces such as kitchen countertops, floor tiles, and wall panels. May also be used on other hard surfaces.

- ◆ REMOVES ALL FINGERPRINTS, FILM, STREAKS, ETC. FROM QUARTZ SURFACES
- ◆ LIGHT SCENT AND NON-ABRASIVE



16 oz LUSTROQUARTZCL16 12 pcs/bx

Lustro Italiano™ Quartz Stone Sealer

WATER-BASED QUARTZ SURFACE SEALER



Lustro Italiano™ Quartz Stone Sealer is a water-based sealer that is safe to use on quartz and engineered stone. Lustro Italiano™ Quartz Stone Sealer will provide protection against stains, spills and dirt.

- ◆ PREVENTS STAINS AND OIL ABSORPTION ON ALL QUARTZ SURFACES
- ◆ APPROVED FOR FOOD CONTACT



16 oz LUSTROQUARTZSEALER 12 pcs/bx

Filiflex / Airflex Brushes

TENAX PATENTED BRUSHES



- ⊕ SUITABLE FOR VERY DELICATE MATERIALS
- ⊕ HIGH REMOVAL POWER
- ⊕ HIGH REMOVAL POWER

Typical Antique Finish Sequence:

Filiflex 36, Filiflex 46, Filiflex 60, Airflex 120, Airflex 220, Airflex 300

Snail Lock available in 4" and 5".

Filiflex & Airflex are also available in Terzago, 6" Snail Lock and 4" Hook & Loop Velcro.

GRIT SIZES AVAILABLE			
120	220	300	400
300Lux	400Lux	600Lux	800Lux



CNC & Frankfurt Machine Honing Kit



Also great on Floor Machines



Includes:

- ◆ 3 - Frankfurt Cluster Diamond 80/100
- ◆ 3 - Frankfurt FG Quartz 120 grit
- ◆ 3 - Frankfurt FG Quarts GR 220 grit
- ◆ 3 - Frankfurt Evoflex 220 grit
- ◆ 1 - Ager 250 ml
- ◆ 1 - Proseal 250 ml

Honing Set 24AFFHONINGSET3 1 set

CNC & Frankfurt Brush System

AVAILABLE IN 3 PACKAGE OR 4 PACKAGE



Pkg 3 Comes with:

- ◆ Tool Box
- ◆ 3 - FF Diamond Brush 36
- ◆ 3 - FF Filiflex 36, 46, 60
- ◆ 3 - FF Airflex 120, 220, 300
- ◆ 1 - Ager 250 ml
- ◆ 1 - Ager Tiger 250 ml

Pkg 4 Comes with:

- ◆ Tool Box
- ◆ 4 - FF Diamond Brush 36
- ◆ 4 - FF Filiflex 36, 46, 60
- ◆ 4 - FF Airflex 120, 220, 300
- ◆ 1 - Ager 250 ml
- ◆ 1 - Ager Tiger 250 ml



Antique Brush Starter Package 3 24AFFNORTHSET3 1 set
 Antique Brush Starter Package 4 24AFFNORTHSET4 1 set

For Plates with 3 Frankfurt Holders

Aggressive Diamond Brushes

DESIGNED FOR ENGINEERED STONE AND EXTREMELY DENSE GRANITE



- ⊕ HIGH BRISTLE COUNT
- ⊕ EXCELLENT FOR BREAKING / REMOVING THE POLISH ON SLABS
- ⊕ WILL LEAVE A DEEPER TEXTURE THAN FILIFLEX OR AIRFLEX BRUSHES

FRANKFURT GRIT SIZES AVAILABLE

24 36 46 60 120 220

4" SNAIL LOCK GRITS AVAILABLE

36 46 60 120 220 320

5" SNAIL LOCK GRITS AVAILABLE

36 46 60

14 CM GRITS AVAILABLE

24 36 46 60 120 240 300 400



Silicon Carbide Brushes

TO CREATE A SOFT ANTIQUE FINISH



- ⊕ EXCELLENT ON MARBLE, LIMESTONE, AND OTHER SOFT STONES
- ⊕ HIGH BRISTLE COUNT
- ⊕ CREATE A SOFT ANTIQUE FINISH

Warning: Not recommended for granite or engineered stone.

GRIT SIZES AVAILABLE

36 46 60 80 120 240 320 500

4" SNAIL LOCK SILICON CARBIDE BRUSHES AVAILABLE IN THESE GRIT SIZES

GRIT SIZES AVAILABLE

36 46 60 80 120 240



Tenax



Tenax T36 AUTO EDGE INLINE WHEELS



5" and 6" for bullnose and flat edge polishing of ceramic, quartz, and natural stone on automated polishing machines. A great value offering a superior shine and excellent life. the absolute best value for your inline flat polish machine!

GRIT SIZES AVAILABLE IN 5" AND 6"						
80	120	220	400	800	1200	1500

- UNIVERSAL sequence for flat edge for marble, granite, ceramic, quartz
- HIGH GLOSS
- HIGH SPEED



Tenax Dekton® Blades - 14", 16" 18" APPROVED BY COSENTINO®

Tenax USA's solution for Dekton® and Ceramic Materials

Not all bridge saw blades work the same on every material. And not all blades are designed for performing the same types of cut. There are specific blades designed for making specific cuts and there are blades made for cutting specific materials. Tenax has developed a series of diamond blades designed for various materials, tasks, and slab thicknesses.

This 14 inch dekton bridge saw blade is designed for making efficient straight and miter cuts on dekton material cleanly.



- SPECIALLY MARKETING T DEKTON MATERIAL
- 1,800-2,100 RPM
- FEED RATE/STRAIGHT CUT: 16"-60" PER MINUTE
- FEED RATE/MITER CUT: 14"-32" PER MINUTE
- STANDARD 2.3MM CORE THICKNESS



14" Dekton Blade 4D-42104
16" Dekton Blade 4D-41868
18" Dekton Blade 4D-42805

Dekton Thickness	RPM Ø360	RPM Ø410	RPM Ø460	FEED SPEED FT/min
8mm	2100-2400	1700-2100	1500-1800	48"-60"
12mm	2100-2400	1700-2100	1500-1800	40"-48"
20mm	2100-2400	1700-2100	1500-1800	24"-40"
30mm	2100-2400	1700-2100	1500-1800	16"-24"

Suggestions: While entering and exiting the cut, reduce the speed feed by 40-50%
While cutting at 45°, reduce the speed feed by 40%

Ceramic Blades - 14", 16"

SPECIALY MARKETED TO ALL SINTERED MATERIAL FABRICATORS



- ⊕ 14: 2,150-2,500 RPM / 16": 1,900-2,200 RPM
- ⊕ FEED RATE/STRAIGHT CUT: 31"-79" PER
- ⊕ FEED RATE/STRAIGHT CUT: 16"-60" PER MINUTE
- ⊕ FEED RATE/MITER CUT: 14"-32" PER MINUTE
- ⊕ STANDARD 2.3MM CORE THICKNESS

Porcelain Thickness	RPM Ø360	RPM Ø410	FEED SPEED LM/min
3-4.9mm	2150-2500	1900-2200	1.5-1.8
5-9mm	2150-2500	1900-2200	1.2-1.5
10-12mm	2150-2500	1900-2200	1.0-1.2
13-20mm	2150-2500	1900-2200	0.8-1.0



14" Ceramic Blade 4D-42408
16" Ceramic Blade 4D-41869

Suggestions: While entering and exiting the cut, reduce the speed feed by 40-50%. While cutting at 45°, reduce the speed feed by 40%.

45° Miter Blade - 16"



- ⊕ EXTRA 8.1MM THICK CORE
- ⊕ MITER UP TO 12MM THICK
- ⊕ SILENT CORE
- ⊕ 1,900-2,200 RPM



16" 45° Miter Blade 4D-42418

XXL Blade - 16"



- ⊕ THICK 4.6MM CORE
- ⊕ MITER UP TO 30MM THICK
- ⊕ SILENT CORE
- ⊕ 1,900-2,200 RPM



16" XXL Blade 4D-42420

Quartz Diamond Blades - 14", 16", 18"

LONG LASTING, FAST CUTTING




- ⊕ DESIGNED TO CUT FAST
- ⊕ LONG LIFE
- ⊕ WET USE
- ⊕ SILENT CORE
- ⊕ 1,250-1,900 RPM



14" Quartz Blade 4D-43162
16" Quartz Blade 4D-43164
18" Quartz Blade 4D-43166

Marble Diamond Blades - 16", 18"



- ⊕ DESIGNED TO CUT FAST
- ⊕ LONG LIFE
- ⊕ DESIGNED TO CUT MARBLE, LIMESTONE, TRAVERTINE, ONYX, CULTURED MARBLE



16" Marble Blade 4D-35291
18" Marble Blade 4D-35205

Polishing Powder



- + CREATES A HIGH GLOSS
- + COUNTERTOPS, FLOORS, GENERAL MAINTENANCE

2 lb (1 kg) Granite Polishing Powder	POLVERGR1KG	1 pc
33 lb (15 kg) Granite Polishing Powder	POLVERGR	1 pc
2 lb (1 kg) Marble Polishing Powder	POLVERMA1KG	1 pc
33 lb (15 kg) Marble Polishing Powder	POLVERMA	1 pc

Medium Density Felt Pads



- + 4" & 5" SIZES AVAILABLE
- + HOOK AND LOOP BACKED
- + EXCELLENT FOR POLISHING POWDERS AND WAXES

4" Velcro Medium Density Felt Pad	VZVFP4	6 pcs/bx
5" Velcro Medium Density Felt Pad	VZVFP5	6 pcs/bx

Snail Lock Back Up



- + DESIGNED FOR BOTH AUTOMATED AND HAND USE
- + RUBBER FILLED TO ABSORB VIBRATION
- + IF ABRASIVE JAMS, SNAIL LOCK WILL BREAK AWAY

5" x 5/8=11 Aluminum Snail Lock Backer	24ABRASS5	6 pcs/bx
--	-----------	----------

Frankfurt Plastic Shoes



- + JUST SCREW OR BOLT ON TO EXISTING PLATES
- + HEAVY PLASTIC FOR DURABILITY
- + BREAKS AWAY IF ABRASIVE IS JAMMED

Frankfurt Complete Shoe	VZ070045	6 pcs/bx
Frankfurt Left Shoe	VZ6190601	6 pcs/bx
Frankfurt Right Shoe	VZ6190602	6 pcs/bx

Fiberglass Mesh



- + ADDS EXTRA STRENGTH TO SLABS
- + USED BY QUARRIERS AROUND THE WORLD
- + RECOMMENDED BY THE MARBLE INSTITUTE OF AMERICA FOR ULTIMATE SUPPORT

5' x 1000' (150cm x 300CM) Roll	1H3480H018	1 pc
6' x 1000' (180cm x 300cm) Roll	1H2480H01500	1 pc

Fiberglass Rodding



- + HIGH DENSITY FIBERGLASS
- + REINFORCED WITH CARBONIC FIBER COMPONENT
- + DUAL SPINE CARBONIC FIBER FOR EXTRA STRENGTH

Use with TeRod

3/8" x 1/8" x 330' (10mm x 3mm x 100m)	VZ8160061	5 pcs/bx
--	-----------	----------

Hardener - Paste or Liquid



30 ml (1oz.) Liquid MEKP	F024411	50pcs/bx
33 ml (1.1 oz)	1PAA00VC70	100 pcs/bx
45 ml (2 oz) paste	1PAA00VC80	100 pcs/bx
130 ml (4.4 oz) paste	1PAA00VC89	66 pcs/bx
180 ml (6 oz) paste	1PAA00VC90	66 pcs/bx
50 ml (2 oz) liquid	1PAA00VB95	6pcs/bx

#9 Razor Blades



- + 100 PIECES PER BOX
- + PREMIUM GRADE
- + US MADE

Razor Blades 100/bx	VZ13135
---------------------	---------

#9 Ceramic Razor Blades



- + STAYS SHARPER THAN TRADITIONAL RAZOR BLADES
- + USABLE WITH ANY TOOL REQUIRING A #9 BLADE
- + KEEPS MATERIAL FREE FROM METAL MARKS
- + NO RUST DISCOLORATION

Ceramic Razor Blades 10/pk	VZ13140
----------------------------	---------


EZ Sticky Stuff Strongedge Dispenser



- + DESIGNED TO USE WITH STRONGEDGE 45 AND STRONGEDGE EXPRESS
- + CORRECTLY MIXES AT 2+1 RATION

Dispenser with Heater	SS-ADJ
-----------------------	--------

Static Mixing Nozzles



GB-MBHX-0516T 10+1 50 ml Multibond 50 ml Strongbond	GB-MFQ-824 1:1, 2:1 400 ml ClipBoss 215 ml Glaxs 215 ml Mastidek 215 ml Lapitec 210 ml Domo 10 215 ml Domo 21 210 ml Micto	1RTZTIPS 10:1 250 ml Titanium
GB-MFQ-05-24L 1:1 50 ml Glaxs 50 ml ClipBoss	GB-MBQX-0824 10:1 250 ml Multibond	1RTZGLAXSZTIPS 1:1 215 ml Titanium

Tenax USA

7606 Whitehall Executive Center Dr.

Suite 400

Charlotte, NC 28273

P 704 583 1173

tenax4you.com

ITALY

BRAZIL

SPAIN

CHINA

INDIA

TURKEY

USA

Distributed by



TENAX4YOU.COM

